



LECTURE NOTES: 4-3 HOW DERIVATIVES AFFECT THE SHAPE OF A GRAPH (PART 1)

MOTIVATING EXAMPLE: For each function graphed below, identify the regions of its *domain* where the function is increasing and where it is decreasing.



$f(x)$ is increasing:

$f(x)$ is decreasing:



$f(x)$ is increasing:

$f(x)$ is decreasing:

QUESTION 1: Using language a middle school kid could understand, how would you explain what it means to say a function is *increasing* or *decreasing*?

QUESTION 2: Draw a few sample tangent lines to each graph above. What is the relationship between the slope of the tangent lines and whether the graph is increasing or decreasing?

Increasing/Decreasing Test

(a) If _____ on an interval, then the function $f(x)$ is **increasing** on this interval.

(b) If _____ on an interval, then the function $f(x)$ is **decreasing** on this interval.

PRACTICE PROBLEM 1: Let $g(x) = 3x^4 - 4x^3 - 12x^2 + 5$.

1. Use the Increasing/Decreasing Test to find the intervals where $g(x)$ is increasing and decreasing.

2. Sketch the graph on your calculator to check that your answer above is correct.

3. What do you observe about the relationship between *local maximums*, *local minimums* and intervals of *increase* and *decrease*? Make an explicit conjecture.

QUESTION 3: What is a critical number again?

The First Derivative Test: Suppose that c is a critical number of a continuous function $f(x)$.

- a) If _____ at c , then f has a **local maximum** at c .
- b) If _____ at c , then f has a **local minimum** at c .
- c) If _____ at c , then f has no local maximum or minimum at c .

Using the work from the previous **PRACTICE PROBLEM 1**, fill in the blanks below for $g(x) = 3x^4 - 4x^3 - 12x^2 + 5$.

- (a) _____ is a local minimum of $g(x)$ that occurs at _____
- (b) _____ is a local minimum of $g(x)$ that occurs at _____
- (c) _____ is a local maximum of $g(x)$ that occurs at _____

PRACTICE PROBLEM 2: Sketch the graph of a function $h(x)$ satisfying all the properties below:


1. domain $(-\infty, \infty)$
2. $h'(x) > 0$ on $(-\infty, 0) \cup (2, \infty)$
3. $h'(x) < 0$ on $(0, 2)$
4. $h'(0)$ is undefined, $h'(2) = 0$

MOTIVATING EXAMPLES: On the sample graphs below, sketch some rough tangent lines. Sketch multiple tangents on each graph. Make rough approximations of the slopes of these tangents.

concave up
pictures




concave down
pictures



QUESTION 4: How does the relationship between the tangent line and the graph to which it is tangent differ depending on whether the graph is concave up or concave down?


QUESTION 5: If the graphs above are of a function, say $f(x)$, what can you say about its derivative $f'(x)$?

QUESTION 6: Estimate the intervals where each function below is concave up and concave down:



$f(x)$ is concave up:

$f(x)$ is concave down:



$f(x)$ is concave up:

$f(x)$ is concave down: