

# Math F251

# Final Exam

# Spring 2021

Name: \_\_\_\_\_

Section: ☐ FXA (Sus)  
☐ FXB (Maxwell)  
☐ UX1 (Jurkowski)

## Rules:

You have 150 minutes (2.5 hours) to complete the exam.

Partial credit will be awarded, but you must show your work.

A scientific or graphing calculator (without symbolic manipulation) is allowed.

A one page sheet of paper (8 1/2 in. x 11 in.) with handwritten notes on one side is allowed.

No other aids are permitted.

Place a box around your **FINAL ANSWER** to each question where appropriate.

Turn off anything that might go beep during the exam.

## Academic Integrity Statement:

**All students must affirm the following statements by initialing in the blanks provided. Students using their own paper must write out the statements in full.**

\_\_\_\_\_ I will not seek or accept help from anyone.

\_\_\_\_\_ I will not use books, the internet or other disallowed aids.

\_\_\_\_\_ I understand correct answers without sufficient supporting work will be marked incorrect.

Problem	Possible	Score
1	10	
2	10	
3	10	
4	10	
5	10	
6	10	
7	10	
8	10	
9	10	
10	10	
Extra Credit	5	
Total	100	

**1. (10 points)**

Compute the derivatives of the following functions. You do not need to simplify your answers.

a.  $f(t) = \ln(t) \arctan(2t)$

b.  $g(x) = \frac{\cos(x^3)}{1 - 3x}$

**2. (10 points)**

Compute the following indefinite integrals.

a.  $\int \sin(1 + x^4)x^3 dx$


b.  $\int \left( e^{-3x} + \frac{(\ln(x))^3}{x} \right) dx$

**3. (10 points)**

The graph of the function  $f(x) = \ln(x^2 + 1)$  is shown.

- a.** On the graph sketch 4 rectangles, using **left** endpoints, that would be used to approximate

$$\int_1^3 \ln(x^2 + 1) dx.$$



- b.** Compute the approximation in part **(a)**. You do not need to simplify, but your answer should be in a form where a calculator would compute a numerical value.

**4. (10 points)**

A circular disk of metal is sitting in the sun and being heated. Its radius is increasing at a rate of 0.2 cm/hour because of thermal expansion. How fast is the area of the disk increasing when the radius of the disk is 40 cm? Units please!

## 5. (10 points)

The temperature in a sauna in degrees Fahrenheit is given by

$$T(t) = 10 t e^{-t/60}$$

where  $T$  is measured in degree Fahrenheit and  $t \geq 0$  is measured in minutes.

a. What is the average rate of change of the temperature from time  $t = 0$  to  $t = 30$  minutes? Include units in your answer.

b. At what **rate** is the temperature changing at time  $t = 0$ ? Include units in your answer.

c. Compute  $\lim_{t \rightarrow \infty} T(t)$  and explain what this number means in language the general public might understand.

**6. (10 points)**


The continuous function  $G(x)$  with domain all real numbers has the properties below:

- $G(0) = 2$ .
- $G'(x)$  is positive if  $x < 0$ .
- $G'(x)$  is negative if  $x > 0$ .
- $G''(x)$  is negative if  $x < 2$
- $G''(x)$  is positive if  $x > 2$ .
- $\lim_{x \rightarrow \infty} G(x) = -1$ .

Sketch the graph of  $G(x)$ . Your sketch should include the region  $-4 \leq x \leq 4$  and should include a box at any points of inflection.

## 7. (10 points)

Consider the function  $f(x)$  graphed below. Between  $x = 0$  and  $2$ , the graph is of a semicircle of radius  $1$ .



- What is the value of  $f(3)$ ?
- What is the value of  $f'(-2)$ ?
- What is the value of  $\int_1^4 f(x) dx$ ?
- At what values of  $x$ , if any, does  $f'(x)$  not exist?

The following questions concern  $H(x) = \int_0^x f(s) ds$ .

- What is the value of  $H(-3)$ ?
- What is the value of  $H'(1)$ ?

The **rate of change** of elevation of water in Turnagain Arm outside of Anchorage is given by

$$r(t) = 4 \cos\left(\frac{\pi}{6}t\right)$$

**a.** Compute  $r(0)$  and  $r(3)$ . Then explain what these numbers mean in language the general public would understand.


**b.** Compute the net change in elevation of the water in meters from time  $t = 0$  to time  $t = 3$ . Hint: Think about the Net Change Theorem!

c. At time  $t = 0$ , the elevation of water is 2 meters above sea level. What is the elevation of water above sea level at time  $t = 3$ ?



## 9. (10 points)

The graph of the function  $f(x) = xe^{x^2} - 1$  is shown.



a. Suppose Newton's method is used to find an approximate solution to  $f(x) = 0$  from an **initial guess** of  $x_1 = 0$ . Sketch on the graph how the next approximations  $x_2$  and  $x_3$  will be found, labeling their locations on the  $x$ -axis.

b. Compute  $f'(x)$ .

c. For  $x_1 = 0$ , compute the value of  $x_2$  you illustrated in part (a). You do not need to simplify, but your answer should be in a form where a calculator would compute a numerical value.

**10. (10 points)**

A homesteader needs to fence off an area of  $2000 \text{ m}^2$  for a grazing animal, and she figures building a rectangular area adjacent to the base of a cliff would work best. In other words, no fencing is needed along the cliff that forms one side of the area. What is the minimum amount of fencing needed?

**a.** Draw a sketch and choose labels for the sides.

**b.** Solve the problem. Indicate units in your answer.

**11. (Extra Credit: 5 points)**

Find the derivative of

$$H(x) = \int_x^{x^2} e^{-s^2} ds.$$