# Math F251 Final Exam

# Spring 2022

Name:	Section: □ F01 (Faudree)
	□ F02 (Gossell)
	□ UX1 (Gossell)

## Rules:

You have 2 hours to complete the exam.

Partial credit will be awarded, but you must show your work.

No other aids are permitted.

Place a box around your FINAL ANSWER to each question where appropriate.

Turn off anything that might go beep during the exam.

Problem	Possible	Score
1	8	
2	8	
3	12	
4	8	
5	10	
6	8	
7	4	
8	10	
9	12	
10	10	
11	10	
Extra Credit	5	
Total	100	

#### 1. (8 points)

Find the derivative of each of the following functions. You do not need to simplify your answer.

**a.** 
$$g(x) = \left(\ln(x) + \frac{2x}{5}\right)^4$$

**b.** 
$$f(x) = \sqrt{x}e^{3x}$$

### 2. (8 points)

Evaluate the definite integrals below. Simplify your final answers.

**a.** 
$$\int_{1}^{2} 6x - 5 dx$$

**b.** 
$$\int 7(\sin x)^3 \cos x \, dx$$

Evaluate the following limits. You must show your work to earn full credit. If you apply L'Hopital's Rule, you should indicate this.

**a.**  $\lim_{x \to 2} \frac{2x^2 - 8}{x^2 - 3x + 2}$ 

**b.**  $\lim_{x \to 4} \frac{2 - \sqrt{x}}{4 - x}$ 

**c.**  $\lim_{x \to \infty} \frac{45 + x - 4x^2}{x^2 - 16}$ 

## 4. (8 points)

a. Find the linear approximation (also known as the linearization) of the function  $f(x) = \sqrt{x}$  when a = 4.

b. Use the linear approximation to estimate  $\sqrt{4.04}$ . Your answer must be in the form of a decimal.

(Optimization Problem) You need to construct a 100 ft<sup>2</sup> rectangular pen for a dog. Three sides of the pen (north, east, and south) will be made of open fencing which costs \$2 per foot. To add privacy, the west side which faces the street will be made of closed fencing which costs \$14 per foot. Follow the steps below to find the dimensions of the pen that minimize the cost.

a. Draw a diagram and label the sides.

**b.** Write an equation for the cost of the fencing in terms of a single variable.

c. Use Calculus to find the dimensions of the pen that minimize the cost. Justify your answer.

#### 6. (8 points)

(Related Rates Problem) The volume V of a spherical snowball with radius r is given by the equation  $V=\frac{4}{3}\pi r^3$ . The surface area A is given by  $A=4\pi r^2$ . Throughout the warm spring afternoon, the snowball melts at a constant rate of  $36\pi$  cubic inches per hour.

a. At the moment that the radius is 6 inches, how fast is the radius decreasing? Include units in your answer.

b. At the moment that the radius is 6 inches, how fast is the surface area decreasing? Include units in your answer.

#### 7. (4 points)

The number of subscribers to an internet streaming service is given by s(t), where t is measured in months since the company started.

**a.** What does the statement s'(36) = 4,580 mean? Include units with your answer.

**b.** Would the owners of the streaming service prefer s''(36) to be positive or negative? Explain your reasoning.

Suppose a particle moves along a straight line with **velocity**  $v(t) = 3t^2 - 12t - 2$  m/s.

**a.** Find s(t), the **position** of the particle at time t in seconds assuming that when t = 1 second the particle is at position s = 10 meters.

**b.** Find a(t), the **acceleration** of the particle at time t in seconds.

**c.** At time t = 0, is the particle speeding up or slowing down? Explain your answer.


**d.** Determine the minimum velocity of the particle.

Sketch graphs which satisfy the given conditions. There are many correct answers.

a. Sketch a graph of a function k(x) such that


• 
$$k'(-5) > 0$$

• 
$$k'(5) < 0$$



b. Sketch a graph of a function f(x) that has


- an inflection point at x = -5, and
- a local minimum at x = 5.



c. Sketch a graph of a function g(x) that

$$\bullet \lim_{x \to 5^-} g(x) = 4$$


$$\bullet \lim_{x \to 5^+} g(x) = -2$$




d. Sketch a graph of a function h(x) such that

• 
$$h'(-5) > 0$$
, and

• 
$$h''(-5) < 0$$
.



Use the graph of the function f(x) (on the right) to answer the questions below.



- $\mathbf{a.} \quad \lim_{x \to 1} f(x) =$
- **b.**  $\lim_{x \to 1} \frac{f(1+h) f(1)}{h} =$
- **c.** At what values of x, if any, does the derivative, f'(x), not exist?
- **d.** On what intervals, if any, is f'(x) > 0?
- **e.** Does f(x) have any local minimums? If so, state the location and the local minimum value.

The following questions concern  $G(x) = \int_0^x f(s) \ ds$ .

- **f.** What is the value of G(5)?
- **g.** What is the value of G'(5)?
- **h.** On the interval [0,7], does G(x) have a local minimum? If so, state the location and the local minimum value.

A population of bacteria is growing at a rate of  $p'(t) = 300e^{t/10}$  bacteria per day.

- **a.** Compute p'(0) and interpret its meaning in the context of the problem. Include units with your answer.
- **b.** Compute  $\int_0^{10} p'(t) dt.$

**c.** Interpret your answer from part (b) in the context of the problem. Make sure to include units.

## 12. (Extra Credit: 5 points)

Calculate 
$$\frac{d}{dx} \left( \int_{\cos x}^{5} \frac{17^{-t} \ln(t+2)}{\sqrt{20 - \sin^2 t}} dt \right).$$