

3. Water runs into a conical tank at the rate of $9 \text{ ft}^3/\text{min}$. The tank stands point down and has a height of 10 ft and a base radius of 5 ft. How fast is the water level rising when the water is 6 ft deep? (Hint: Use similar triangles.)
4. A rectangular solid has a fixed width of 10 cm but its length is increasing at a rate of 2 cm/s while its height is decreasing at a rate of 1 cm/s. At what rate is the volume of the solid changing when the length is 20 cm and the height is 15 cm?
5. The standard 12 foot ladder rests against a vertical wall. If the bottom of the ladder slides away from the wall at a rate of 1ft/s, how fast is the top of the ladder sliding down the wall when the bottom of the ladder is 6 ft from the wall?

6. A hot air balloon rising straight up from a level field is tracked by a range finder 500 feet from the lift-off point. At the moment the range finder's elevation angle is $\pi/4$, the angle is increasing at the rate of 0.14 radians/min. How fast is the balloon rising at that moment?

7. A police cruiser, approaching a right-angled intersection from the north, is chasing a speeding car that has turned the corner and is now moving straight east. When the cruiser is 0.6 mi north of the intersection and the car is 0.8 mi to the east, the police determine that the distance between them and the car they are chasing is increasing at a rate of 20 mph. If the cruiser is moving at 60 mph at the instant of measurement, what is the speed of the car? [Hint: You'll need to relate *three* quantities here!]