Name: Solutions

____ / 25


There are 18 questions worth 25 points on this quiz. No aids (book, calculator, etc.) are permitted. **Show all work for full credit.**

1. [1 point] Determine the domain and range of $f(x) = \frac{1}{x^2} + 1$. Write your answer in interval notation.

$$E_{x=1} = \sum_{x=1}^{\infty} X_{x=1} = (-\infty, 0) \cup (0, \infty)$$

Range = $(1, \infty)$


2. [1 point] For $f(x) = 8 - x^2$ and g(x) = 2 - x, find the composition $f \circ g$ and simplify your answer.



3. [1 point] Write the expression $\frac{x^7y^4z}{x^3y^{-1}z^3}$ in the form $x^ay^bz^c$. That is, write the expression with all terms in the numerator.

$$\frac{\chi^{2}y^{4}z}{\chi^{3}y^{5}z^{3}} = \chi^{2}x^{3}y^{4}z^{-1}z^{-3}$$
$$= \chi^{4}y^{3}z^{-2}$$

4. [1 point] A rectangle has length ℓ that is twice its width, *w*. Find an expression for the area, *A*, of the rectangle in terms of its width, *w*.



 $A(\omega) = 2\omega^2$

 $f_{og}(x) = 4 + 4x - x^2$

4 3 - 2 Xy Z

5. [2 points] Write an equation of the line between the points (-4, 5) and (2, 1).

$$Slope = \frac{1-5}{2-(-\alpha)} = \frac{-4}{6} = \frac{-2}{3}$$

alternate forms $y = -\frac{2}{3}(x \neq 4) + 5$

$$y = -\frac{2}{3}x + \frac{4}{3} + \frac{3}{2} = -\frac{2}{3}x + \frac{7}{3}$$


Is the line increasing, decreasing, horizontal or vertical.

$$y = \frac{-2}{3}(x - 2) + 1$$

decreating (negative slope)


12

- 6. [1 point] Simplify the expression $\frac{2x^3+2x^2y}{4x^2+12xy}$ by cancelling any common factor in both the numerator and denominator.
- $\frac{2x^{2}+2x^{2}y}{4x^{2}+12xy} = \frac{7x^{2}(x+y)}{2x^{2}(x+3y)} = \frac{x(x+y)}{2(x+3y)} = \frac{x(x+y)}{2(x+3y)} = \frac{x^{2}+xy}{2x+6y}$
- 7. [2 points] Sketch the graph of $f(x) = 4 x^2$. Label any x- or y-intercepts in your sketch.




asymptote(s)? None

- 8. [2 points] Use the piecewise defined function $f(x) = \begin{cases} \frac{x}{x-1} & x \le 0\\ \sqrt{x} & x > 0 \end{cases}$.
 - **a.** Find f(-1). = $\frac{-1}{-2} = \frac{1}{2}$




UAF Calculus I

11. [1 point] In the right triangle below, a = 4 and c = 5. Determine the value of tan(A), the tangent function at angle A.



tan A = 4/3

12. [2 points] Sketch the graph of $f(x) = e^{-x} + 1$. Label any x- or y-intercepts. Give the equation of any asymptotes of f(x).



Math F251X: Quiz 1

15. [1 point] Solve the equation
$$\frac{\ln(x-1)}{3} = 4$$
.

$$l_{1}(x-1) = 12$$

 $\chi - 1 = e^{12}$
 $\chi = e^{12} + 1$

२


-3

 $x = e^{12} + 1$

16. [1 point] Solve the inequality $x^2 \ge 9$. Write your answer in interval notation.

 $(-\infty, -3] \cup [3,\infty)$

17. [2 points] Sketch the graph of $f(x) = 3\cos(x)$ on the interval $0 \le x \le 2\pi$. Label any x- or y-intercepts. Give the equation of any asymptotes of f(x).



18. [2 points] Use the graph of f(x) below to answer the questions.

