

## SECTION 5.2: SERIES

Things to know by the end of this section

- a. how to use sigma notation *with facility*
  - b. the meaning of a *series*, especially as compared to a *sequence* (from §5.1)
  - c. the meaning of a *sequence of partial sums of a series* and how to find it.
  - d. what it means to say a series converges.
  - e. what a *geometric series* is and how to determine whether or not it converges.
  - f. what a *telescoping series* is and how to determine whether or not it converges.
- 

1. An infinite series is

$$\sum_{n=1}^{\infty} a_n = a_1 + a_2 + a_3 + \dots$$

The sequence of its partial sums is

2. For each series below, expand the sigma notation and then *compute and simplify the first 4 partial sums*  $S_1, S_2, S_3, S_4$ . (Use a calculating device to get a decimal, if desired.)

(a)  $\sum_{n=1}^{\infty} \left(\frac{2}{3}\right)^n$

(b)  $\sum_{n=1}^{\infty} \frac{1}{n(n+1)}$

(c)  $\sum_{n=1}^{\infty} \frac{(-1)^n}{5^n}$

$$(d) \sum_{n=1}^{\infty} \frac{n}{n^2 + 2}$$

3. Complete the bulleted lines below. **Definition:** The series  $\sum_{n=1}^{\infty} a_n$

- converges if
- diverges if

4. The series in 2(a) is a geometric series. Its  $k$ th partial sum is  $S_k = \sum_{n=1}^k \left(\frac{2}{3}\right)^n$ . Below, write out  $S_k$  without sigma notation, multiply by  $2/3$ , then subtract, and then cancel as many terms as possible:

$$S_k =$$

$$\frac{2}{3}S_k =$$

---


$$\left(1 - \frac{2}{3}\right) S_k = \frac{1}{3}S_k =$$

This has led to a closed formula for  $S_k$ :

$$S_k =$$

Therefore the infinite series converges to  $\sum_{n=1}^{\infty} \left(\frac{2}{3}\right)^n = \lim_{k \rightarrow \infty} S_k = \boxed{\phantom{0000}}$ .

5. Do the same for the geometric series in 2(c).